

Message

From: Wu, Jennifer [Wu.Jennifer@epa.gov]
Sent: 2/8/2019 8:50:08 PM
To: Soscia, Mary Lou [Soscia.Marylou@epa.gov]
Subject: Re: Errors in a new Columbia Basin Bulletin article on Columbia/Snake dam permits and TMDL

Thanks, Mary Lou!!

From: Soscia, Mary Lou
Sent: Friday, February 8, 2019 11:50 AM
To: Wu, Jennifer; Holsman, Marianne; MacIntyre, Mark
Cc: Opalski, Dan; Lidgard, Michael
Subject: RE: Errors in a new Columbia Basin Bulletin article on Columbia/Snake dam permits and TMDL

I am talking to Bill Crampton, the CBB editor, right now, he is going to make the change online.
Mary Lou

Mary Lou Soscia | Columbia River Coordinator | US EPA
805 S.W. Broadway, Suite 500 | Portland, OR 97205
503.326.5873
www.epa.gov/columbiariver



Columbia River | US EPA

www.epa.gov

Homepage of the site devoted to providing a cross-program clearinghouse for information about EPA's work in the Basin.

From: Wu, Jennifer
Sent: Friday, February 08, 2019 10:04 AM
To: Holsman, Marianne <Holsman.Marianne@epa.gov>; MacIntyre, Mark <Macintyre.Mark@epa.gov>
Cc: Opalski, Dan <Opalski.Dan@epa.gov>; Lidgard, Michael <Lidgard.Michael@epa.gov>; Soscia, Mary Lou <Soscia.Marylou@epa.gov>
Subject: Errors in a new Columbia Basin Bulletin article on Columbia/Snake dam permits and TMDL

Hi Marianne and Mark, just FYI that the Columbia Basin Bulletin came out with an article on the Lower Columbia and Lower Snake dams, our request to withdraw the 401 cert, and the TMDL. Ecology's communications office may be sending a letter to the editor. Just forwarding this to you in case the agency also wants to add some corrections. The big error on the permits is that it says they have temperature and dissolved gas limits. There are some other smaller errors – the article says we have 6 permits (wrong) then says 9 permits (right).

From: Brown, Chad (ECY) <CHBR461@ECY.WA.GOV>

Sent: Friday, February 08, 2019 9:49 AM

To: Wu, Jennifer <Wu.Jennifer@epa.gov>

Subject: RE: FYI on a new CBB article

Since Ecology is quoted in several places, I have noted the error to our communications staff too, and we may be sending an email or call to correct. But it seems that it would be good for the editor to hear from both our agencies on this. Just a suggestion.

Best,
Chad

From: Wu, Jennifer <Wu.Jennifer@epa.gov>

Sent: Friday, February 8, 2019 9:44 AM

To: Brown, Chad (ECY) <CHBR461@ECY.WA.GOV>

Subject: RE: FYI on a new CBB article

Thanks, Chad. You're right about there being some big errors in the article – temp and TDG limits. Thanks for the article – I'll pass it on!

From: Brown, Chad (ECY) <CHBR461@ECY.WA.GOV>

Sent: Friday, February 08, 2019 9:42 AM

To: Wu, Jennifer <Wu.Jennifer@epa.gov>

Subject: FYI on a new CBB article

Hi Jenny,

FYI- new article from CBB. I wanted to make you aware of the fairly significant errors in the second paragraph.
<http://www.cbbulletin.com/442118.aspx>

Chad

Chad Brown | Water Quality Management Unit Supervisor | Washington Department of Ecology
chad.brown@ecy.wa.gov | 360-407-6128